



**YUYANG INDUSTRIAL CO., LIMITED**

China Manufacturer of Fire Testing Equipment

## Cotton / Wool Textile Testing Equipment Electronic Crockmeter Rubbing Fastness Tester





- **Product Details:**

- Place of Origin: **China**
- Brand Name: **YUYANG**
- Certification: **JIS L0849GB/T3920-20085712420 ISO105-X12D02AATCC8/165**
- Model Number: **YY810**

- **Payment & Shipping Terms:**

- Minimum Order Quantity: **1 set**
- Price: **Negotiation**
- Packaging Details: **Plywood Box**
- Delivery Time: **3-5 work days**
- Payment Terms: **T/T L/C Western Union**
- Supply Ability: **10 sets per month**

- Share to :

## **AATCC Motor Driven Crockmeter Electronic Crockmeter to Rubbing Fastness**

### **Description:**

Mainly used for marking cotton, wool, silk, knitting, dyeing and other types of textile industry as the determination of color fastness to dry and wet rubbing, scrubbing test color fastness testing equipment.

### **Parameters:**

- a) friction head Size: Round:  $\Phi 16\text{mm}$  square:  $19 \times 25\text{mm}$
- b) reciprocating friction and the number of first stroke:  $100\text{mm} \pm 1\text{mm}$
- c) friction head downward pressure:  $9 \pm 0.8\text{N}$
- d) friction velocity: from one per second ( $60 \pm 3$  beats / min)
- e) test bed mat material thickness:  $1 \sim 1.5\text{mm}$  (thin white consumption)
- f) maximum size and thickness of the sample:  $220 \times 110 \times 5\text{mm}$
- g) crank rotation frequency: 60 times / min
- h) scrub head: Standard brush

### **Standard:**

JIS L0849,GB/T3920-2008,5712,420 ; ISO105-X12,D02,AATCC8/165

### **Specification:**

Weight: Net weight: 22KG, Gross weight: approx 30KG

Plywood box size:  $91 \times 33 \times 29\text{cm}$

Testing standard

AATCC 8 Colorfastness to Crocking: AATCC Crockmeter Method

AATCC 165 Colorfastness to Crocking: Textile Floor Coverings-Crockmeter Method

ISO 105-X12 Textiles -- Tests for colour fastness -- Part X12: Colour fastness to rubbing

BS 2543, BS 3424: Part 14, M&S C08, IKEA IOS-TM-0002, Mercedes Benz DBL 7384

