PLA filament Sunruy PLA-175-color

PLA filament:

- 1. Lower melting point and better smell than ABS, flow rapidly, seldom blocking the nozzle
- 2. PLA Filament has small shrinkage even printing big size model
- 3. Good biodegradation, good for environment
- 4. Diameter: 1.75mm, tolerance +/-0.1mm, roundness +/-0.05mm
- 5. Variety colors available
- 6. Smokeless and tasteless, good for indoor printing
- 7. Water absorption: very low, no bubbles in printed molds.

What is PLA?

Chemical name: Polylactic Acid

PLA is a thermoplastic aliphatic polyester derived from renewable resources, such as corn starch. In 2010, P LA had the second highest consumption volume of any bioplastic of the world.

Features

- 1. A Kind Of Biodegradable Material. Bury it In The Ground After Used Up, It Will Be Fully Biodegradable d By Microorganism. The Carbon Dioxide Will Go Into Soil Organic Matter Directly Or Absorbed By Plants . Will Not Causing The Greenhouse effect.
- 2. Good Mechanical Property And Physical Property.
- 3. Thermostability. Processing Temperature: 190-220 Degree (374-428 Fahrenheit), Can Be Processed In Various Ways, Such As Spinning/Biaxial rawing/Injection-blow Molding And So On.
- 4. With Good Glossiness, Pellucidness, Antibacterial Property, Flame Retardance
- 5. Security. When Burn The PLA, The Combustion Heat Is The Same With Paper, A Half Of Polyethylene. I t Will Not Produce Harmful And Poisonous

Gas Such As Nitride, Sulfide And So On.

Application

- 1. Automotive Field: Car Ottomans, Car Door, Rims, Saddle etc.
- 2. Disposable Products: Disposable Tableware, Packaging Material For Food etc.
- 3. Electronic Field: Components and Shell Of Laptop/Cell Phone, Shell Of DVD, PLA CD Disc.
- 4. Biological Medicine Field: Disposable Infusion Tools, Surgical Suture etc.

Material: PLA

Print Temperature: 190-220 Degree (374-428 Fahrenheit) Optional

support layer: optional diameter: 1.75MM/3mm

net. weight :1KG(2.2lbs) Deviation: 2% Gross Weight: 1.3KG(2.9lbs) Deviation: 2%

Accuracy: 1.75+/-0.1mm

Color:Black,white,red,yellow,blue,light blue(or sky blue),orange,green,light green, fluorescence yellow, fluorescence green,purple, Violet,pink,brown,rose red,gold,skin,wood,grey,silk,transpare nt/clear, Bronze.Natural, viridity, grass green, ivory, various transparent color and fluorescence color.more than 32 colors can be selected.

OEM quantity:over 25kg.

Packaging & delivery

Packing detail: Vacuum sealed with PE bag

HS Code: 3916909000 Delivery detail: 5~15days





